




BHAVANI
POLYPACK



MANUFACTURER
AND DISTRIBUTOR



TYPES OF TWINE

Baler Twine

Made with 100% Polypropylene, high tenacity and premium grade.

- ▶ High Breaking Strength
- ▶ Material is anti-slipping
- ▶ Knot easily and tightly.
- ▶ Comes in single and multiple design



Tying Twine

Made with UV Particals. It is highly versatile and can be used for Wrapping and Tying by both hand and machine.

- ▶ Soft and Smooth Surface
- ▶ Highly- Quality Polypropylene
- ▶ Light weight yet extremely durable



XMAS Twine

Christmas tree twine is specially designed to be used in a strapping machine that bundle.Pine trees for convenient transportation

- ▶ Coil size are upto 5lb
- ▶ Comes in a variety of colors and sizes
- ▶ Soft yet extremely durable



ABATTOIR Twine

This twine is specially precats and pre knotted for use as lashing in meat processing and for stitching and packaging

- ▶ Soft durable
- ▶ Light denier more breaking strength
- ▶ UV Resistant



USES OF TWINE

- ▶ Bailing & Binding ▶ Agriculture & Horticulture ▶ Tying Purpose
- ▶ Harvesting Purpose ▶ General Packaging

Features

- **Durable**
- **High Elasticity**
- Calibrated**
- Elongation**
- **High Temperature Tolerant**
- **High Shock Absorption**
- **UV Stabilized**

Denier Size	Runnage (m/kg)	Breaking Strength (kgf)	Knot Breaking Strength (kgf)
5000 D	1800 m/kg	29 kgf	16 kgf
6000 D	1500 m/kg	33 kgf	17 kgf
7000 D	1300 m/kg	39 kgf	20 kgf
9000 D	1000 m/kg	52 kgf	27 kgf
11250 D	800 m/kg	62 kgf	31 kgf
12000 D	750 m/kg	68 kgf	34 kgf
13000 D	700 m/kg	72 kgf	36 kgf
15000 D	600 m/kg	82 kgf	41 kgf
18000 D	500 m/kg	102 kgf	51 kgf
22500 D	400 m/kg	122 kgf	61 kgf
24000 D	375 m/kg	132 kgf	66 kgf
25000 D	350 m/kg	138 kgf	69 kgf
30000 D	300 m/kg	165 kgf	82 kgf
40000 D	225 m/kg	220 kgf	110 kgf
50000 D	180 m/kg	275 kgf	135 kgf
60000 D	150 m/kg	330 kgf	160 kgf
70000 D	130 m/kg	380 kgf	180 kgf
90000 D	100 m/kg	490 kgf	230 kgf

Packaging Weight

Upto 20kg

Tolerance

+/- 5%

Colour

Yellow, White as per your Requirement

Package

Cross Wound Core Less Packaging

Spool Height

3 Inch | 6 Inch | 8 Inch | 10-12 Inch

Why You Should Choose

Twine From Us?

- Optimize
- Selection
- Competitive Prices
- Reliability
- Experience



✉ info@bhavanipolypackindia.com

☎ +91 9426018642 | +91 8140159687

📍 Plot No. 13, Porbandar Road, Opp. Krishna School,
UPLETA - 360490. District - Rajkot, State Gujarat(India)

Click Here

www.bhavanipolypackindia.com

